

Buffalo-Licks 20%

NUTRIENT ANALYSIS

Crude protein, minimum.....	20.00%
Crude fat, minimum.....	5.00%
Crude fiber, maximum.....	2.00%
Calcium (Ca), minimum	1.00%
Calcium (Ca), maximum	2.00%
Phosphorous (P), minimum	1.00%
Magnesium (Mg), minimum	1.00%
Potassium (K), minimum.....	6.00%
Sulfur (S), minimum40%
Zinc (Zn), minimum.....	1250 ppm
Iron (Fe), minimum.....	125 ppm
Copper (Cu), minimum.....	500 ppm
Manganese (Mn), minimum	800 ppm
Cobalt (Co), minimum	8 ppm
Iodine (I), minimum	50 ppm
Selenium (Se), minimum.....	10 ppm
Vitamin A, minimum.....	150,000 Int. Units/Lb.
Vitamin D3, minimum.....	35,000 Int. Units/Lb.
Vitamin E, minimum.....	100 Int. Units/Lb.

INGREDIENTS

Beet molasses, Concentrated separator by-products. Corn distillers grain. Navy bean by-products. Hydrolyzed vegetable fat (preserved with Ethoxyquin). Monocalcium-calcium phosphate. Calcium carbonate. Magnesium oxide. Zinc sulfate. Zinc oxide. Zinc polysaccharide complex, Copper Sulfate, Copper polysaccharide complex. Ferrous sulfate. Magnanous oxide. Maganese sulfate. Ethylenediamine dihydroiodide. Cobalt sulfate. Sodium selenite. Vitamin A acetate, Vitamin D3 supplement. Vitamin E supplement.



FEEDING DIRECTIONS

A supplemental feed for buffalo. Place tubs where buffalo tend to gather. Feed continuously along with additional forages or to buffalo on pasture.

IMPORTANT

Consumption of Buffalo Licks will vary depending on quality feed and availability of other feeds. Condition of buffalo and weather conditions will also affect consumption.

INTRODUCTION PERIOD

During the introduction period, tubs should be placed approximately 50 to 75 feet near the area that buffalo congregate. Move tubs to accommodate consumption, if consumption is less than expected, move tubs nearer to the area that buffalo congregate. If consumption is more than expected move tubs further from congregational area. Additional feed may be necessary if consumption becomes excessive. DO NOT PROVIDE TUBS TO BUFFALO OF POOR CONDITION WITHOUT PROVIDING SUPPLEMENTAL FEED. IF CONSUMPTION IS EXCESSIVE FOR MORE THAN TWO WEEKS REEVALUATE THE TOTAL FEEDING PROGRAM.

Caution: DO NOT FEED BUFFALO-LICKS TO SHEEP (OR RELATED SPECIES), BUFFALO-LICKS CONTAINS COPPER SULFATE WHICH IS TOXIC TO SHEEP.

Manufactured by:



149 RR Ave | Wyndmere, ND 58081 | www.tublicks.com

This product was made in a feed manufacturing facility that does not handle or store products containing animal proteins prohibited in ruminant feed.

Product Code # 6130

Lot No. _____

60 Lbs (27.2 kg), 150 Lbs (69.0 kg), 250 Lbs (113.4 kg) Net Weight or Bulk