



# Transition Formula Plus

(With ProGro 45 Enzymes)

## NUTRIENT ANALYSIS

Crude protein, minimum.....	0.00%
Crude fat, minimum.....	3.00%
Crude fiber, maximum.....	1.00%
ADF.....	1.50%
Calcium (Ca), minimum .....	1.50%
Calcium (Ca), maximum .....	2.00%
Phosphorous (P), minimum .....	0.5025%
Magnesium (Mg), minimum .....	2.00%
Potassium (K), minimum.....	3.00%
Zinc (Zn), minimum.....	3000 ppm
Copper (Cu), minimum.....	750 ppm
Manganese (Mn), minimum .....	2500 ppm
Cobalt (Co), minimum .....	40 ppm
Iodine (I), minimum .....	80 ppm
Selenium (Se), minimum.....	17.6 ppm
Vitamin A, minimum .....	200,000 Int. Units/Lb.
Vitamin B, minimum .....	YES
Vitamin E, minimum .....	1,400 Int. Units/Lb
Yeast Cultures .....	YES

## INGREDIENTS

Beet molasses, Concentrated separator by-products. Corn distillers grain. Hydrolyzed vegetable fat (preserved with Ethoxyquin). Monocalcium-calcium phosphate. Calcium carbonate. Magnesium oxide. Zinc sulfate. Zinc oxide. Zinc polysaccharide complex, Copper Sulfate, Copper polysaccharide complex. Ferrous sulfate. Magnanous oxide. Manganese sulfate. Ethylenediamine dihydroiodide. Cobalt sulfate. Sodium selenite. Vitamin A acetate, Vitamin D3 supplement. Vitamin E supplement, Vitamin B12 supplement, concentrated aspergillus oryzae, saccharomyces cervisiae fermentation culture). Diatomaceous Earth (anti-caking agent) added, Yeast cultures



## FEEDING DIRECTIONS

For dairy cattle, provide Transition Formula Plus as a free-choice supplement during critical periods of stress (such as 3 weeks prior to 3 weeks after calving). Please use only for periods of high stress. Transition Formula Plus is not intended for extended feeding periods or as a substitute for improper animal care. Feed one tub per 20-30 head of cattle. Additional tubs may be needed when there are smaller calves with larger cattle. Place the tubs where cattle tend to congregate. Tubs should be fed continuously along with additional forages and water. If additional mineral or vitamins are desired, offer a loose mineral free choice. Average intakes range from .50 lbs to .75 lbs per head per day. Intakes are based on quality of forages and forage availability.

### IMPORTANT

Consumption of Transition Formula Plus will vary depending on quality feed and availability of other feeds. Cattle conditions and weather conditions will also affect consumption.

**WARNING: DO NOT FEED TUB LICKS TO SHEEP (OR RELATED SPECIES), TRANSITION FORMULA PLUS CONTAINS COPPER SULFATE WHICH IS TOXIC TO SHEEP. WARNING: Jersey Dairy Cattle are known to be sensitive to copper. Please consider all sources of dietary copper in the diet.**

Manufactured by:



149 RR Ave | Wyndmere, ND 58081 | www.tublicks.com

*This product was made in a feed manufacturing facility that does not handle or store products containing animal proteins prohibited in ruminant feed.*

Product Code # 9090

Lot No. \_\_\_\_\_

250 Lbs (113.4 kg) Net Weight or Bulk